


Characterizing the Photochemical Environment over China


Zhen Liu

School of Earth and Atmospheric Sciences
Georgia Institute of Technology




26 September 2012

The region of concern - China




The country with the largest population

The region of concern - China




Concentrated high anthropogenic emissions

The region of concern - China




Low biogenic emissions over polluted regions

The region of concern - China



The region with the highest aerosol abundance

Scientific Goal




Characterize the **Photochemical Environment** –

To examine the processes (**emissions, chemistry, transport**) that regulate the observed chemical concentrations.

$$\frac{\partial c_i}{\partial t} + \nabla \cdot (\mathbf{u}c_i) = R_i(c_1, c_2, \dots, c_n) + E_i - S_i$$


↑ ↑ ↑ ↑
transport chemistry emission deposition

Multi-scale modeling analysis





REAM-3D model evaluation – NO₂

OMI (August 2007)



REAM (70km, WRF driven)
w/inverted NO_x emission by Zhao and Wang [2009]




NO₂ [10^{15} molec cm⁻²]



“Wow~ The model is perfect!”

REAM-3D model evaluation – CO

MOPITT (August 2007)



REAM (70km, WRF driven)
w/ Streets 2006 inventory [Zhang et al., 2009]




CO [10^{17} molec cm $^{-2}$]



“Not bad!”

REAM-3D model evaluation – CHOCHO

SCIAMACHY (August 2007)



REAM (70km, WRF driven)
w/ Streets 2006 VOC inventory [Zhang et al., 2009]




CHOCHO [10^{14} molec cm $^{-2}$]



“What happened to the satellite?!”

REAM-3D model evaluation – CHOCHO

SCIAMACHY (August 2007)



REAM (70km, WRF driven)
w/ Streets 2006 VOC inventory [Zhang et al., 2009]



CHOCHO [10^{14} molec cm^{-2}]

Consistent with global modeling results of glyoxal budgets [e.g. Fu et al., 2008]


What is the missing source of glyoxal over China?

What is the missing source of glyoxal?

(Liu et al., 2012, *Geophys. Res. Lett.*, L10812, doi:10.1029/2012GL051645)



Glyoxal (CHOCHO) Tropospheric Vertical Column Density




A VOC oxidation product with minor primary emissions [e.g. Volkamer et al., 2005]


Providing constraint for VOC chemistry and emissions

A missing source of CHOCHO over China

SCIAMACHY



GEOS-Chem



[Fu et al, 2008]





REAM CTM:

70km; WRF driven; Streets 2006; GFEDv2; MEGANv2.1; Explicit CHOCHO gas-phase chemistry; sampling at SCIAMACHY overpassing time (10am LT)


ΔCHOCHO

SCIAMACHY – REAM (Aug. 2007)






Spatial distribution of the missing source

$\Delta\text{CHOCHO}_{\text{SCIA-REAM}}$



Population density



A missing source that is anthropogenic?


A Linearized Model

$$C_{CHOCHO} \approx \sum_{i=1}^n E_i \times \frac{\partial C_{CHOCHO}}{\partial E_i} + C_{CHOCHO}^0$$


i : the i th of the n precursors;
 E_i : Emission of the i th precursor
 [Fu et al., 2007]

- ☐ Mostly over emission regions due to short lifetime
- ☐ Emissions are very uncertain
- ☐ Most reactive precursor contributing the most
- ☐ Significant only over southern China
- ☐ Creating a regional background of glyoxal
- ☐ Reasonable emissions [e.g. Carmichael et al., 2003]


from ARO1 (E_1)





from ARO2 (E_2)



from ISOP (E_3)



C_{CHOCHO}^0 from C_2H_2 and others






Translate ΔCHOCHO into precursor emissions

$$\Delta C'_{\text{CHOCHO}} \approx \sum_{i=1}^n \Delta E_i \times \frac{\partial C_{\text{CHOCHO}}}{\partial E_i} \Rightarrow \Delta E_i \approx \frac{\Delta C'_{\text{CHOCHO}}}{\partial C_{\text{CHOCHO}} / \partial E_i} \Rightarrow S_i = \frac{\Delta E_i + E_i}{E_i}$$

$\Delta\text{CHOCHO}_{\text{SCIA-REAM}}$

ISOP






Translate ΔCHOCHO into precursor emissions

$$\Delta C'_{\text{CHOCHO}} \approx \sum_{i=1}^n \Delta E_i \times \frac{\partial C_{\text{CHOCHO}}}{\partial E_i} \Rightarrow \Delta E_i \approx \frac{\Delta C'_{\text{CHOCHO}}}{\partial C_{\text{CHOCHO}} / \partial E_i} \Rightarrow S_i = \frac{\Delta E_i + E_i}{E_i}$$


$\Delta\text{CHOCHO}_{\text{SCIA-REAM}}$

ARO1 + ARO2




Model results with top-down emissions



(a) SCIAMACHY




(b) REAM standard ARO



(c) REAM top-down ARO



CHOCHO [10^{14} molec cm^{-2}]




Better agreement with observed aromatics at multiple sites;

Implications

Other than the impacts on PAN and O₃

How much more SOA from aromatic VOCs?



Partly explains previous underestimation of OA over the region
[e.g. Heald, et al., 2005; Fu et al., 2011, ACPD]

Acknowledgement

My coauthors:

Yuhang Wang (my Ph.D advisor)

School of Earth and Atmospheric Sciences, Georgia Institute of Technology, USA

Mihalis Vrekoussis, Andreas Richter, Folkard Wittrock, John P. Burrows (SCIAMACHY team)

Germany Institute of Environmental Physics and Remote Sensing, University of Bremen

Min Shao (in situ VOC data)

College of Environmental Sciences and Engineering, Peking University, Beijing, China

Chih-Chung Chang, Shaw-Chen Liu

Research Center for Environmental Changes, Academic Sinica, Taipei, Taiwan

Hongli Wang, Changhong Chen

Shanghai Atmospheric Environment Institute, Shanghai Academy of Environmental Sciences, Shanghai, China

**Thank Jim for having me in this workshop!!
Look forward to more and closer collaborations
with the GIOVANNI team!**